



QUIZZES

Practice Test-1 (Reproduction)



10 Questions



7 min

Topics

Male Reproductive System, Female Reproductive System

Start Quiz

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

06 : 58



1/10



7 min



Hint

Q : It is an example of endocrine gland in male reproductive system:



Testes



Seminal vesicle



Prostate gland



Bulbourethral gland

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 56



2/10



7 min



Hint

Q : Testosterone controls the development of male secondary sexual characteristics:



Before birth



During birth



Before puberty



During puberty

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 54



3/10



7 min



Hint

Q : Paired gonads in male are:

A

Testes

B

Ovaries

C

Uterus

D

Scrotum

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 53



4/10



7 min



Hint

Q : In humans, testes are present outside the body in a sac like structure called:



Peritoneum



Cervix



Scrotum



Pelvis

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB) SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 51



5/10



7 min



Hint

Q : Which of the following structure represents external genitalia?



Ovaries



Oviduct



Copulatory organ



Vas deferens

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 50



6/10



7 min



Hint

Q : In which part of female reproductive system fertilization takes place?



Proximal part of oviduct



Uterus



Placenta



Vagina

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 47



7/10



7 min



Hint

Q : Urethra and vagina have independent openings to the exterior in:



Male only



Female only



Both male & female



Neither male nor female

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 45



8/10



7 min



Hint

Q : Urethra and vagina have independent openings to the exterior in:



Male only



Female only



Both male & female



Neither male nor female

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

06 : 44



9/10



7 min



Hint

Q : Uterine tube is the term used for:

A

Vas deferens

B

Urethra

C

Oviduct

D

Uterus

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9

Q : The fertilized ovum is implanted and undergoes further development in:

- ☐ Ovary
- ☐ Oviduct
- ☐ Uterus
- ☐ Cervix

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

QUIZ RESULT

Practice Test-1 (Reproduction)



SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

- Correct
- Incorrect
- Unattempted

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-1 (Reproduction)



Correct



Unattempted



Incorrect



1/10

Q : It is an example of endocrine gland in male reproductive system:



Testes



Seminal vesicle



Prostate gland



Bulbourethral gland

Explanation

Gland	Secretion
Testes	Testosterone
Seminal vesicles	Alkaline secretions
Prostate gland	Milky secretion containing enzymes
Bulbourethral gland	Mucus

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-1 (Reproduction)



Unattempted



Incorrect



2/10

Q : Testosterone controls the development of male secondary sexual characteristics:



Before birth



During birth



Before puberty



During puberty

Explanation

Secondary sexual characters are those characters which appear when a person becomes sexually mature.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-1 (Reproduction)



Correct



Unattempted



Incorrect



3/10

Q : Paired gonads in male are:



Testes



Ovaries



Uterus



Scrotum

Explanation

Uterus and ovaries are the parts of female reproductive system.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-1 (Reproduction)



Unattempted



Incorrect



4/10

Q : In humans, testes are present outside the body in a sac like structure called:



Peritoneum



Cervix



Scrotum



Pelvis

Explanation

Along with protection, scrotum also plays very important role in maintaining an optimum temperature for sperm production which is slightly lower than the core body temperature.

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-1 (Reproduction)



Correct



Unattempted



Incorrect



5/10

Q : Which of the following structure represents external genitalia?



Ovaries



Oviduct



Copulatory organ



Vas deferens

Explanation

Organs of reproductive system present outside the body are called as external genitalia.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-1 (Reproduction)



Unattempted



Q : In which part of female reproductive system fertilization takes place?



Proximal part of oviduct



Uterus



Placenta



Vagina

Explanation

Proximal part of oviduct (Site of fertilization)

Ovary (Site of oogenesis)

Uterus (Site of implantation of embryo and development)

Vagina (Birth canal)

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-1 (Reproduction)



Correct



Unattempted



Incorrect



7/10

Q : Urethra and vagina have independent openings to the exterior in:



Male only



Female only



Both male & female



Neither male nor female

Explanation

Urethra and vagina are part of female reproductive system only while in females urethra is the part of excretory system only.

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-1 (Reproduction)



Unattempted



8/10

Q : Urethra and vagina have independent openings to the exterior in:



Male only



Female only



Both male & female



Neither male nor female

Explanation

Urethra and vagina are part of female reproductive system only. Male has urinogenital duct.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-1 (Reproduction)

 Correct

 Unattempted

 Incorrect

 9/10

Q : Uterine tube is the term used for:

 Vas deferens

 Urethra

 ☒ Oviduct

 Uterus

Explanation

Uterine tube is also called as fallopian tube and process of fertilization occurs here.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-1 (Reproduction)



Unattempted



Incorrect



10/10

Q : The fertilized ovum is implanted and undergoes further development in:



Ovary



Oviduct



Uterus



Cervix

Explanation

Sperm fertilizes egg in the proximal part of oviduct where zygote forms which then starts division and is implanted in endometrium where it completes development.

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

QUIZZES

Practice Test-2 (Reproduction)

10 Qs

10m

100%

Start Quiz

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

Q : Implantation of fertilized egg in the uterus takes place under the influence of:

- ☐ FSH
- ☐ Oxytocin
- ☐ Progesterone
- ☐ LH

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

Q : Which of the following factors may disturb female menstrual cycle?

- ☒ Nutritional disturbance
- ☐ Emotional disturbance
- ☐ Hormonal disturbance
- ☐ All A, B, C

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

Q : All of the following actions are stimulated by FSH except:

- ☐ A Development of primary follicle
- ☐ B Development of primary oocyte
- ☐ C Release of estrogen
- ☐ D Release of progesterone

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

Q : The end or complete stop of the menstrual cycle is called:

- ☐ A) Estrous
- ☐ B) Menarche
- ☒ C) Menopause
- ☐ D) Andropause

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

Q : Events of the menstrual cycle involve:

- ☐ A Ovaries only
- ☐ B Uterus only
- ☐ C Pituitary only
- ☒ D Both ovaries & uterus

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

Q : Progesterone is secreted by:

- ☐ A Anterior pituitary
- ☐ B Posterior pituitary
- ☐ C Median pituitary
- ☒ D Ovary

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

Q : Part of ovary in mammals that acts as an endocrine gland after ovulation is:

- ☐ Graffian follicle
- ☐ Pituitary
- ☐ Corpus luteum
- ☐ Placenta

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

Q : AIDS is caused by:

- ☒ Bacteria
- ☐ Virus
- ☐ Fungi
- ☐ Alga

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

Q : Sexual contact is source of dissemination of all diseases except:

- ☐ Herpes Simplex Type I
- ☐ Gonorrhea
- ☐ AIDS
- ☐ Syphilis

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

Q : Syphilis is caused by:

- ☐ A Coccus
- ☐ B Bacillus
- ☒ C Spirochete
- ☐ D Spirillum

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

QUIZ RESULT

Practice Test-2 (Reproduction)



SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

- Correct
- Incorrect
- Unattempted

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-2 (Reproduction)



Correct



Unattempted



Incorrect



Q119

Q : Implantation of fertilized egg in the uterus takes place under the influence of:



FSH



Oxytocin



Progesterone



LH

Explanation

Implantation of zygote in uterus is facilitated by thickness and vascularity in endometrium.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-2 (Reproduction)



Correct



Unattempted



Incorrect



5/1000

Q : Which of the following factors may disturb female menstrual cycle?



Nutritional disturbance



Emotional disturbance



Hormonal disturbance



All A, B, C

Explanation

Female reproductive cycle involves hormonal changes which are linked to eating habits and behavioral responses.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-2 (Reproduction)



Correct



Unattempted



Incorrect



3/10

Q : All of the following actions are stimulated by FSH except:



Development of primary follicle



Development of primary oocyte



Release of estrogen



Release of progesterone

Explanation

On puberty FSH acts on several primary follicles which develop and start releasing estrogen. Progesterone is produced from ruptured follicles.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-2 (Reproduction)

 Correct

 Unattempted

 Incorrect

 Time

Q : The end or complete stop of the menstrual cycle is called:

 Estrous

 Menarche

 Menopause

 Andropause

Explanation

Onset of menstrual cycle is called as menarche.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-2 (Reproduction)

 Correct

 Unattempted

 Incorrect


 5/10

Q : Events of the menstrual cycle involve:

 Ovaries only

 Uterus only

 Pituitary only

 Both ovaries & uterus

Explanation

Menstrual cycle involves follicular growth and rupture along with thickness and vascularization of uterus.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

← Practice Test-2 (Reproduction)



Correct



Unattempted



Incorrect



6/10

Q : Progesterone is secreted by:



Anterior pituitary



Posterior pituitary



Median pituitary



Ovary

Explanation

Yellowish colored body formed due to ruptured follicles, the corpus luteum, produces progesterone.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745



Practice Test-2 (Reproduction)



Correct



Unattempted



Incorrect



7/10

Q : Part of ovary in mammals that acts as an endocrine gland after ovulation is:

A

Graffian follicle

B

Pituitary

C

Corpus luteum

D

Placenta

Explanation

Yellowish colored body in ovary formed due to ruptured follicles, the corpus luteum, produces progesterone.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2 (Reproduction)



Correct



Unattempted



Incorrect



8/10

Q : AIDS is caused by:

A

Bacteria

B

Virus

C

Fungi

D

Alga

Explanation

Causative agent of AIDS is HIV.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2 (Reproduction)



Correct



Unattempted



Incorrect



9/10

Q : Sexual contact is source of dissemination of all diseases except:

A

Herpes Simplex Type I

B

Gonorrhea

C

AIDS

D

Syphilis

Explanation

Sexual contact is the main transmission source of sexually transmitted diseases.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB)SAEED MDCAT

03418729745

1

2

3

4

5

6

7

8

9



Practice Test-2 (Reproduction)



Correct



Unattempted



Incorrect



10/10

Q : Syphilis is caused by:

A

Coccus

B

Bacillus

C

Spirochete

D

Spirillum

Explanation

Causative agent of syphilis is *Treponema pallidum*.

SAEED MDCAT

SAEED MDCAT TEAM



SAEEDMDCAT

www.saeedmdcat.com

FB) SAEED MDCAT

03418729745

2

3

4

5

6

7

8

9

10